

# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)

Http://www.yuandongap.com

不锈钢管件有三通、十字通、弯头、由任、四角塞头等.按照标准有 4144 系列管件和普通管件等几大类数千个品种。


材质: SS304, SS316 等

公称压力: 150LB

螺纹类型: BSPT,NPT、DIN


适用范围: 水、油、气、及某些腐蚀性液体。

## 90 度弯头



SIZE ITEM	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	17	18.5	22.5	27.5	32	36	42.5	46.5	56.5	67.5	76.5	94
A	14	17	20	27	32	41	49	55	68	84	98.5	124
B	12	15	18.5	25	30.5	38	47	53	65	81	95.5	121

## 45 度弯头



SIZE ITEM	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	17	18	18	21	26	29	33	38	42	50	55	66
A	14	17	20.5	27	32.5	40.5	49.5	56	68.5	85.5	98	124
B	12.5	15	18.5	25	30.5	38.5	46.5	53	65.5	82.5	95	121


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipefitting@hotmail.com](mailto:sales.pipefitting@hotmail.com)


Http://www.yuandongap.com

## 90 度内外牙弯头



SIZE ITEM	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
φ1	14	17	20.5	27	32	40.5	49.5	56	68	85	99	125
φ2	12	15	18.5	25	30	38.5	47	53.5	66	82	96	122
φ4	8	11	14.5	17.5	23	30.5	38.5	44.5	56	73	84	108
A	24	27.5	32	36.5	43	52	59	63	75	86.5	98.5	118.5
B	17	20	23.5	28.5	32.5	39	43.5	48.5	57.5	68.5	79	99

## 六角管堵



SIZE ITEM	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
L	16	18	19	22	24	26	28	31	37
S	14	16.5	20.5	25.5	28.5	35.5	45	53	62.5
H	11	12	13	16	18	19	21	23	26

SIZE ITEM	2-1/2"	3"	4"
L	38	42	52
S	78.5	92	117
H	27	30.5	38

注: 2" 及其以下是六方, 2" 以上是八方


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)

Http://www.yuandongap.com

## 六角螺母




SIZE ITEM	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
B	20	20	23.5	28.5	33	42	50	57	70
C	5.5	5.5	5.5	6.5	7.5	9	10	10	11

SIZE ITEM	2 1/2"	3"	4"
B	91	102.5	130
C	13	16	18

注:1-1/2及其以下规格为六方,  
2-3寸为八方,4寸为十方.

## 光面接头



(轻型)规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	16	25	26.5	33	34	36.5	40	40	44	60	66	77.5
W	13	16	19.5	24	29.5	37	46	51.5	64	81	95	121

(普通)规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	16	25	25	33.5	34.5	42	47	47.5	50.5	60	66	77.5
W	13	17.5	20.5	27	32	39	46.5	53.5	65.5	81	95	121


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipefitting@hotmail.com](mailto:sales.pipefitting@hotmail.com)


Http://www.yuandongap.com

## 十字通



SIZE ITEM	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	34	38	46	55	63	73	85.5	95.5	113.5	137.5	156.5	186
A	14	17	20.5	27	32.5	40.5	49.5	56	68.5	85	99	124
C	12.5	15	18.5	25	30.5	38.5	47.5	53	65.5	82	96	121

## 补心



SIZE ITEM	1/4x1/8	3/8x(1/8-1/4)	1/2x(1/8-3/8)	3/4x(1/8-1/2)	1x(1/8-3/4)	1-1/4x(1/4-1)	1-1/2x(1/4-1-1/4)	2x(1/4-1-1/2)
L	17	18	21	25	26	28	30	37
L1	11	12	15	17	19	21	21.5	26
S	15	18.5	22.5	28.5	35	44.5	50	62

SIZE ITEM	2-1/2x(1/4-2)	3x(1/2-2-1/2)	4x(3/4-3)
L	39	42	52
L1	28	31	39
S	78	91.5	117

备注：1” 以上规格采用八方，其余采用六方。


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)


Http://www.yuandongap.com

## 六角管帽



ITEM \ SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
H	15	15	16	20	22	25.5	28	31.5	34	38.5	42	45
S	13	15	19	26.5	30	37.5	46.5	52	65	80	94	120
L	1.5	3	2.5	2.5	3	2	2.5	2.5	4.5	3.5	4	5.5

## 六角对丝



ITEM \ SIZE	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	28	30	31	37	42	47	52	56	64	71	77	93
H	11	12.5	12	15	17	19	21	22	26	28	31	39
S	13	14.5	18.5	23	28.5	35	44.5	51	62	78	91	117
W	6	5	7	7	8	9	10	12	12	15	15	15


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)

Http://www.yuandongap.com

## 水管接头



SIZE ITEM	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	43.5	50	54	65.5	68	76	85	102	120	130	145
L1	25.5	30.5	32	40.5	40	45	51	64	77	84	91
L2	12	12	15	17	19	20.5	22	26	28	31	39
C	8	9	12.5	18.5	24.5	31.5	37.5	49	62.5	74	100
D	9.5	10.5	14	20.5	27	34	40	52	65	77	103
S	15	19	23.5	28.5	35	45	50.5	61.5	77	90.5	117

注:1/4"-2"为六方, 2 1/2"及其以上为八方.


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)

Http://www.yuandongap.com

异径六角对丝



ITEM	SIZE	A	B	C	$\phi d$	$\phi D$	E
	3/8X1/8	11	29	11	6	11.5	18.5
	1/4X1/8	11	28	11	6	9	15
	3/8 x 1/4	11	29	10.5	9	12	19
	1/2 x 1/4	11.5	32	15	9	16	23
	1/2 x 3/8	11	32	13.5	12	16	23.5
	3/4 x 1/4	11.5	34.5	16.5	9.5	20.5	29
	3/4 x 3/8	11	34	15	12	20	29
	3/4 x 1/2	13.5	37	15.5	16	20	28.5
	1 x 3/8	11	39	19	11.5	27	35
	1 x 1/2	14	42	19	16.5	27	35
	1 x 3/4	16	44	19	20	26.5	35
	1 1/4 x 1/2	14	45	21	16.5	35	45
	1 1/4 x 3/4	16	47	21	20.5	35.5	45
	1 1/4 x 1	19.5	50.5	21	27.5	35.5	44.5
	1 1/2 x 1/2	14	45	20	16.5	41	50.5
	1 1/2 x 3/4	16	47	20	20.5	41.5	50
	1 1/2 x 1	19	51	21	27	41	50
	1 1/2 x 1 1/4	20	52	21	36	41.5	50
	2 x 1/2	14	50	24	16	52.5	62
	2 x 3/4	16	52	25	20.5	53	62
	2 x 1	19	55	24	27	53	62
	2 x 1 1/4	21	57	24	35.5	53	61.5
	2 x 1 1/2	20	56	24	41	53	61
	2 1/2 x 1 1/2	22	64	26	41	67	78
	2 1/2 x 2	24.5	66.5	27	52.5	67.5	77.5
	3 x 1 1/2	23	70	33.5	40	79	91.5
	3 x 2	24	70	31	52	77.5	91
	3 x 2 1/2	27	73	31	69	79	91
	4 x 2 1/2	27	80	37.5	68	104	117
	4 x 3	31	83.5	39	78.5	104.5	117.5


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipefitting@hotmail.com](mailto:sales.pipefitting@hotmail.com)

Http://www.yuandongap.com

## 异径有边接头




SIZE ITEM	1/4x1/8	3/8x1/8	3/8x1/4	1/2x1/8	1/2x1/4	1/2x3/8	3/4x1/8	3/4x1/4	3/4x3/8	3/4x1/2	1x1/8	1x1/4	1x3/8	1x1/2	1x3/4	1 1/4x1/4	1 1/4x3/8	1 1/4x1/2	1 1/4x3/4	1 1/4x1	1 1/2x3/8
L	26	28	30	29.5	32.5	33.5	34.5	34	35.5	37	36	37	39.5	41	42	39	41.5	43	44	45.5	43.5
W	17	20	20	27	27	27	32.5	32.5	32.5	32.5	40.5	40.5	40	40	40	49	49	50	49	50	56
S	14	14	16.5	14	17	20.5	14	17	20.5	27	14	17	20	26.5	32.5	17	20.5	27	32.5	40.5	20.5

SIZE ITEM	1 1/2x1/2	1 1/2x3/4	1 1/2x1	1 1/2x1 1/4	2x1/2	2x3/4	2x1	2x1 1/4	2x1 1/2	2 1/2x3/4	2 1/2x1	2 1/2x1 1/4	2 1/2x1 1/2	2 1/2x2	3x3/4	3x1	3x1 1/4	3x1 1/2	3x2	3x2-1/2	4x1 1/2
L	45	46	47	49	46	46	47	49	50	55	55	56	57	60	57.5	58	59	61	63	69	62
W	56	56	56	56	68	68	67.5	68	68	85	85	85	85	85	98	98	98	98	98	98	124
S	27	32	40	49	27	32.5	40	50	56	32.5	40.5	49.5	56	68	32.5	40.5	49	55.5	68	84	55.5

规格	4x2	4x2 1/2	4x3
L	63	70	73
W	124	124	124
S	68	85	97.5

## 有边接头



Rc/Rp/NPT/NPSC	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	25	23	30	35	39	44	50	54	63	72	77	87
C	12.5	17	18.5	25	30.5	38	47	53	65	81.5	95	121
D	14	19	20.5	27	32.5	40.5	49.5	56	67.5	84	98	124


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)

Http://www.yuandongap.com

异径三通



SIZE ITEM	1/2 x 1/4	3/4 x 1/2	1 x 1/2	1X3/4	1 1/4X1/2	1 1/4X1	1 1/2X1/2	1 1/2X3/4	1 1/2X1	1 1/2X1 1/4
$\phi 1$	27	32.5	38	38	49	50	56	56	56	56
$\phi 2$	25	30	40.5	40.5	46.5	47	53	53	53	53
$\phi 3$	17	27.5	27	32.5	27	40.5	27	32.5	41	49
$\phi 4$	15	25.5	25.5	30.5	25	38	25	30.5	38.5	47
A	22	29	32	34	32.8	40	35	38	42	46
B	25	30	34	35.5	37.5	42	41	42	45	47

SIZE ITEM	2 x 3/4	2 x 1	2 x 1 1/4	2X1 1/2	2 1/2X2	3X2 1/2
$\phi 1$	68	68	68	68	84	98
$\phi 2$	65.5	65.5	65.5	65.5	81.5	95
$\phi 3$	32	40	49	56	68	84.5
$\phi 4$	30.5	38	47	53.5	65	81.5
A	37.5	42	46	49	58.5	67
B	50.5	51.5	52.5	55.5	63	72


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipefitting@hotmail.com](mailto:sales.pipefitting@hotmail.com)


Http://www.yuandongap.com

## 三通



SIZE ITEM	1/8	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	34	38	45.5	54	63	73.5	86	95.5	113	137	156.5	186
A	17	19	22.5	27	31.5	36	43	48	56.5	68.5	78	93
B	14	17	20.5	27	32	40.5	49.5	56	68	84.5	98.5	124
C	12.5	15	18.5	25	30	38.5	47	53	65.5	82	95.5	121

## 圆形管帽



SIZE ITEM	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	15	15	16	20.5	22	26.5	28.5	32	35.5	39.5	42.5	44.5
D	12	15	18.5	25	30.5	38.5	47	53	65	82	95.5	121.5
T	2.5	2.5	2.5	2.5	2.5	2.5	3	3	3.5	3.5	4	4
C	14	17	20.5	27	32.5	40.5	49.5	55.5	68	84.5	98.5	122.5


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)


Http://www.yuandongap.com

## 方形管堵



SIZE ITEM	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	16	18.5	20.8	25	26	29	32	33.5	36.5	43	47.5	54
L1	10	11	12	15	15	17	19	19.5	22	25	29	35
S1	7	9	10	11	15	18.5	20.5	22.5	27	32	36	40

## F/M 由任 (内外牙由任)



SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	36	41.5	43	50	53	63.5	70.5	72	81.5	97.5	106	119
A	13	17	20.5	24	30.5	37	46	51.5	64	82	94	120
B	25	30	33	36.5	45	53	65	71	85	106	119	147


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipfitting@hotmail.com](mailto:sales.pipfitting@hotmail.com)


Http://www.yuandongap.com

**M/M** 由任（双外丝由任）



SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	45.5	53.5	56	66	69	83	92	94	107	125	137	156
A	13	17	20.5	24	30.5	37	46	51.5	64	82	94	120
B	25	30	33	36.5	45	53	65	71	85	106	119	147

**W/W** 由任（对焊由任）



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	31	36	?	42.5	49	53	56.5	63	69	80.5	93
A	18	22	26	32	40	49	54.5	68	84.5	98	125
B	28.5	34	39	47	57	67	72.5	90	107.5	122	152


# YUANDONG METAL PRODUCT CO.,LTD

TEL:086-318-7516366 Fax:086-318-7524867 Mob:086-15031850254

Email:shaoqingren@yahoo.com [sales.pipefitting@hotmail.com](mailto:sales.pipefitting@hotmail.com)

Http://www.yuandongap.com

由任



ITEM \ SIZE	A	B	L
1/8"			
1/4"	17	30	33.5
3/8"	21	33	36
1/2"	24	36.5	37.5
3/4"	30.5	45	41
1"	37	53	49
1 1/4"	46.5	65	51
1 1/2"	52	71	56
2"	65	85	61.5
2 1/2"	81.5	106	72.5
3"	94	119	86.5
4"	121	147	97.5